

1

**Arivolt**  
Power Solutions



## SMPS

---

Input Volt - 110 to 260V AC  
Output Volt - 4.5V, 5.5V, 7.5V DC  
- 750 m - Amp.

---

2

**Arivolt**  
Power Solutions



## **S M P S**

---

Input Volt - 110 to 260V AC

Extension Cord with 2 USB Charger

---

3

**Arivolt**  
Power Solutions



### **S M P S**

---

Input Volt - 110 to 260V AC  
Output Volt - 5V, 9v, 12V 1Amp.

---



### **S M P S**

---

Input Volt - 110 to 260V AC  
Output Volt - 12V 1Amp. DC  
                  - 12V 2Amp. DC  
                  - 12V 3Amp. DC  
                  - 12V 5Amp. DC

---

5

**Arivolt**  
Power Solutions

**BIS** Certified



### **S M P S**

---

Input Volt - 110 to 260V  
Output Volt - 5V, 9V, 12V  
- 1Amp, 2Amp  
- 3 Amp, 4 Amp, 5 Amp

---



### **S M P S**

---

Input Volt - 110 to 260V AC  
Output Volt - 5.5V DC  
Auto Cut, 1000 m - Amp.

---

7

**Arivolt**  
Power Solutions



### **S M P S**

---

Input Volt - 110 to 260V AC  
Output Volt - 14V 1 Amp.DC  
- 14V 2 Amp.DC  
14V 3 Amp.DC

---



### **S M P S**

---

Input Volt - 110 to 260 V.AC

Output Volt - 3V, 4.5V, 6, 7.5V DC  
500 m - Amp.

---





---

Input Volt - 110 to 260V AC  
SMPS ADOPTER 3, 4.5, 6v DC 750 Amp.

---



---

Transformer Base 3v, 4.5v DC 600 Amp.  
Input : 220v AC

---



## TRANSFORMER BASE

---

Input Volt - 180 to 240 AC  
Output Volt - 3V, 4.5, 6, 7.5V DC  
500 m - Amp.

---

12

**Arivolt**  
Power Solutions



## LED DIMMER

---

Input Volt - 110 to 260 V.AC

Output Volt - 3V To 12V DC - 2 AMP

---



- 
- Micro Soldering Station
  - **JHATKA CHARGER**
- 

Input Volt - 180 to 240V AC

---

14

**Arivolt**  
Power Solutions



---

**– Micro Soldering Station  
SMPS Base**

---

Input Volt - 110 to 260V AC  
Output - 12V - 2 Amp. DC

---

15

**Arivolt**  
Power Solutions



---


## Micro Soldering Station

With 2 USB Charger  
Output - 5V - 2 Amp. DC

---

16

**Arivolt**  
Power Solutions



---

## Soldering Iron

Range 10 W, 25 W, 35 W

---



17

*Power*   
*Solution*

**Arivolt**  
Power Solutions



# DC TO AC CONVERTER

**RANGE 50 W, 100 W, 200 W**

- Longer Backup with External Battery.
- Inbuilt 12 v 2 Amp Auto Cut Charger.
- 2 USB 2.4 Amp Charger.
- Suitable for Solar Charging.

18

**Arivolt**  
Power Solutions

**USB 2.1 A**



# Extension Cord

Input : 230V AC

19

**Arivolt**  
Power Solutions

1 USB



2 USB



3 USB



---

## USB CHARGER

---

Input : 120 to 260 V AC

Output : 5V DC

Range : 1Amp. to 3.4 Amp.



---

# DATA CABLE

---